

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently amended) A computer-implemented method performed by a computing device for querying a data structure in a distributed computing environment, comprising:
  - preparing a query specifying the constraints to be applied on at least two different data structures wherein each data structure comprises substantially the same information wherein the information is stored in a different data format type and where each data structure is queried according to a different format type;
  - sending the query to at least two different objects wherein each object maintains one of the at least two different data structures in-memory and determines whether the in-memory data structure maintained by each object satisfies the query; and
  - receiving the results from the query from the at least two different objects wherein the query results are returned in substantially identical formats.
2. (Original) The method as recited in claim 1 wherein the query is specified as a text string.
3. (Original) The method as recited in claim 1 wherein the data structure is stored as one of XML, database tables, and a programming language data structure.
4. (Previously presented) The method as recited in claim 1 further comprising receiving a data value from at least one digital device indicative of the storage of the value in said digital device wherein one of the at least two different objects resides on the digital device.
5. (Previously presented) The method as recited in claim 4 wherein the digital device comprises one of a personal computer, personal digital assistant, video tape recorder, a display device, and an MP3 player.
6. (Original) The method as recited in claim 1 wherein the query is sent in the form of a message over a data network.

7. (Canceled)

8. (Currently amended) A system for determining the status of a device, comprising:

a query generation mechanism for generating a type query specifying a data type and a value wherein the query can be to be applied on at least two different data structures wherein each data structure maintains substantially the same information but wherein the information is stored in a different data format type;

a query transmission mechanism for transmitting the type query and the value over a communication network to at least two digital devices whereby each digital device compares the data type to a data type of a data structure that it maintains in-memory and compares the value to a value stored in the data structure wherein said data structure is one of the different format types; and

a results acceptance mechanism wherein the results returned from each of the at least two different data structures are substantially the same.

9. (Original) The system as recited in claim 8 wherein the data structure is stored as one of XML, database tables, and a programming language data structure.

10. (Original) The system as recited in claim 8 wherein the query is specified as a text string.

11. (Original) The system as recited in claim 8 further comprising a receiving mechanism for receiving a data value from at least one digital device indicative of the storage of the value in said digital device.

12. (Previously presented) The system as recited in claim 8 wherein the digital device comprises one of a personal computer, personal digital assistant, video tape recorder, a display device, and an MP3 player.

13. (Previously presented) A method for use in a digital device in a distributed system, comprising:
- coupling the digital device to a communication network;
  - storing a value in an in-memory data structure in said digital device, said data structure defined by a programming language data type definition;
  - receiving a query specifying a query data type and a query value;
  - comparing the query data type to the data structure data type and the query value to the value stored in the data structure;
  - indicating in a response to the query whether the query data type matches the data structure data type and whether the query value matched the value stored in the data structure.
14. (Original) The method as recited in claim 13 wherein the programming language is one of a procedural language and an object oriented language.
15. (Original) The method as recited in claim 14 wherein the programming language is one of an interpreted language and a compiled language.
16. (Original) The method as recited in claim 15 wherein the object oriented language is one of JAVA, C#, CLR, and C++.
17. (Original) The method as recited in claim 13 wherein the digital device is on of a personal computer, a personal digital assistant, an MP3 player, a video cassette recorder and a display device.
18. (Original) The system as recited in claim 13 wherein the query is specified as a text string.
19. (Original) The method as recited in claim 13 wherein the query is received in the form of a message over a data network.
20. (Canceled)